

# CLEENOL

For a cleaner, safer world

## SAFETY DATA SHEET OSMOS TANNIN REMOVER POWDER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	OSMOS TANNIN REMOVER POWDER
Internal identification	OSM-TRP-3.5, OSM-TRP-12.5
Container size	3.5kg, 12.5kg

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Tannin (tea & coffee) stain remover. For use on china, plastic, melamine, stainless steel, chrome and most metals.
Uses advised against	Not for use on aluminium.

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

#### 1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct via 111 (UK only).
---------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

Physical hazards	Ox. Sol. 3 - H272
Health hazards	Acute Tox. 4 - H302 Eye Dam. 1 - H318
Environmental hazards	Not Classified

#### 2.2. Label elements

##### Hazard pictograms



Signal word	Danger
-------------	--------

Hazard statements	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage.
-------------------	---

## OSMOS TANNIN REMOVER POWDER

<b>Precautionary statements</b>	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P220 Keep away from combustible materials.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>
<b>Contains</b>	SODIUM PERCARBONATE.
<b>Supplementary precautionary statements</b>	<p>P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P330 Rinse mouth.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>SODIUM PERCARBONATE.</b>	<b>30-60%</b>
CAS number: —	
<b>Classification</b> Ox. Sol. 2 - H272 Ox. Sol. 1 - H271 Acute Tox. 4 - H302 Eye Dam. 1 - H318	
<b>SODIUM CARBONATE</b>	<b>30-60%</b>
CAS number: 497-19-8	EC number: 207-838-8
<b>Classification</b> Eye Irrit. 2 - H319	

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention.
<b>Skin contact</b>	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.

## OSMOS TANNIN REMOVER POWDER

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	The product is considered to be a low hazard under normal conditions of use. Dust in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	Harmful if swallowed.
<b>Skin contact</b>	Skin irritation should not occur when used as recommended. Prolonged and frequent contact may cause redness and irritation.
<b>Eye contact</b>	Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
<b>Specific treatments</b>	Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	May intensify fire; oxidiser. May ignite other combustible materials.
<b>Hazardous combustion products</b>	Toxic gases or vapours.

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours. Fight fire from safe distance or protected location.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid inhalation of dust and contact with skin and eyes. No smoking, sparks, flames or other sources of ignition near spillage.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Avoid release to the environment.
----------------------------------	-----------------------------------

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Avoid generation and spreading of dust. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely. Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor. Flush contaminated area with plenty of water.
--------------------------------	--

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	---

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Avoid spilling. Avoid generation and spreading of dust. Avoid inhalation of dust and contact with skin and eyes.
--------------------------	--

## OSMOS TANNIN REMOVER POWDER

### Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Keep only in the original container in a cool, well-ventilated place. Protect from moisture. Keep away from combustible material.

#### Storage class

Chemical storage.

### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Ingredient comments

No exposure limits known for ingredient(s).

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation.

#### Eye/face protection

No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

#### Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber. Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC). To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.

#### Hygiene measures

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

#### Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Powder.

#### Colour

White.

#### Odour

Odourless.

#### pH

pH (diluted solution): 10 - 11 (1% solution)

#### Melting point

Data lacking.

#### Initial boiling point and range

Not applicable.

#### Flash point

Not applicable.

#### Solubility(ies)

Soluble in water.

#### Oxidising properties

The product contains a substance classified as oxidising.

## OSMOS TANNIN REMOVER POWDER

### 9.2. Other information

Other information None.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** The reactivity data for this product will be typical of those for the following class of materials: Oxidising agents.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Under normal conditions of storage and use, no hazardous reactions will occur.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat. Avoid generation and spreading of dust.

#### 10.5. Incompatible materials

**Materials to avoid** Avoid contact with acids. Avoid contact with strong reducing agents. Do not mix with other cleaning products.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**ATE oral (mg/kg)** 1,111.11

#### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage.

**Inhalation** The product is considered to be a low hazard under normal conditions of use. Dust in high concentrations may irritate the respiratory system.

**Ingestion** Harmful if swallowed.

**Skin contact** Skin irritation should not occur when used as recommended. Prolonged and frequent contact may cause redness and irritation.

**Eye contact** Causes serious eye damage.

### SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous.

#### 12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

## OSMOS TANNIN REMOVER POWDER

### 12.2. Persistence and degradability

**Persistence and degradability** Expected to be readily biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

**Mobility** Soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted.

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 1479

**UN No. (IMDG)** 1479

**UN No. (ICAO)** 1479

**UN No. (ADN)** 1479

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE.)

**Proper shipping name (IMDG)** OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE.)

**Proper shipping name (ICAO)** OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE.)

**Proper shipping name (ADN)** OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM PERCARBONATE.)

### 14.3. Transport hazard class(es)

**ADR/RID class** 5.1

**ADR/RID classification code** O2

**ADR/RID label** 5.1

**IMDG class** 5.1

**ICAO class/division** 5.1

**ADN class** 5.1

## OSMOS TANNIN REMOVER POWDER

### Transport labels



### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant  
No.

### 14.6. Special precautions for user

EmS	F-A, S-Q
ADR transport category	3
Emergency Action Code	1Y
Hazard Identification Number (ADR/RID)	50
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance	EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive
----------	--

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## OSMOS TANNIN REMOVER POWDER

### SECTION 16: Other information

<b>Issued by</b>	Regulatory Chemist
<b>Revision date</b>	22/09/2021
<b>Revision</b>	10
<b>Supersedes date</b>	16/09/2021
<b>SDS number</b>	10739
<b>Hazard statements in full</b>	H271 May cause fire or explosion; strong oxidiser. H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.